Author Index

Åkerman, K., see Oker-Blom, C. (1176) 269
Alexandre, A., see Zoccarato, F. (1176) 208
Anderson, W.B., see Oláh, Z. (1176) 333
Asai, K., see Hirano, T. (1176) 299
Azzi, A., see Chatelain, E. (1176) 83

Balsinde, J., see Fernández, B. (1176) 169
Band, A.M., Jones, P.M. and Howell, S.L.
The mechanism of arachidonic acid-induced insulin secretion from rat islets of Langerhans (1176) 64
Bartoli, G.-M., see Chatelain, E. (1176) 83
Beeler, J.F. and Cooper, R.H.
Rapid and reversible uncoupling of the hepatic α_1-adrenergic receptor and guanine-nucleotide-binding protein by phorbol 12,13-dibutyrate (1176) 339
Behrens, M., see Schwandner, W.R.E. (1176) 175
Benzing, C.F., see Yano, Y. (1176) 327
Bernal, A.L., see Newman, G.E. (1176) 106
Bidet, M., see Cejka, J.-C. (1176) 7
Boal, T.R., Chiorini, J.A., Cohen, R.B., Miyamoto, S., Frederickson, R.M., Sonenberg, N. and Safer, B.
Regulation of eukaryotic translation initiation factor expression during T-cell activation (1176) 257
Bondarenko, V.A., see Lipkin, V.M. (1176) 250
Bonollo, M., see Olivieri, O. (1176) 37
Boscoboinik, D.O., see Chatelain, E. (1176) 83
Brand, K., see Wein, K.-H. (1176) 69
Bronner, C., see Fischer, T. (1176) 305
Buc-Calderon, P.M., see Tinton, S.A. (1176) 1
Bustelo, X.R., see Otero, A. (1176) 59

Cejka, J.-C., Bidet, M., Tauc, M. and Poujeol, P.
Nucleotides mobilize intracellular calcium stores of renal proximal cells in primary culture: existence of a suramin-sensitive mechanism (1176) 7
Chatelain, E., Boscoboinik, D.O., Bartoli, G.-M., Kagan, V.E., Gey, F.K., Packer, L. and Azzi, A.
Inhibition of smooth muscle cell proliferation and protein kinase C activity by tocopherols and tocotrienols (1176) 83
Chiorini, J.A., see Boal, T.R. (1176) 257
Churcher, Y., see Koffer, A. (1176) 222
Cohen, R.B., see Boal, T.R. (1176) 257
Colby, H.D., see Feingold, I.B. (1176) 192
Coninck, S.W.-D., see Zhong, Z.-D. (1176) 77
Cooper, R.H., see Beeler, J.F. (1176) 339
Corrocher, R., see Olivieri, O. (1176) 37
Cotgreave, I.C., see Weis, M. (1176) 13
Cousin, O.C., see Tinton, S.A. (1176) 1

Dausse, J.-P., see Dieudonne, M.-N. (1176) 123
DeLuca, H.F., see Uhland-Smith, A. (1176) 321
Dieudonne, M.-N., Pecquery, R., Dausse, J.-P. and Giudicelli, Y.
Regulation of white adipocyte guanine nucleotide binding proteins Gsα and Giα_{1-2} by testosterone in vivo: influence of regional fat distribution (1176) 123
Dobrynina, L.N., see Lipkin, V.M. (1176) 250

Feingold, I.B., Longhurst, P.A. and Colby, H.D.
Regulation of adrenal and hepatic α-tocopherol content by androgens and estrogens (1176) 192
Fernández, B. and Balsinde, J.
Calcium- and G-protein-dependent activation of arachidonic acid release by concanavalin-A-stimulated mouse macrophages (1176) 169
Fernández-Renart, M., see Schwandner, W.R.E. (1176) 175
Fischer, T., Bronner, C., Landry, Y. and Mousli, M.
The mechanism of inhibition of alkylamines on the mast-cell peptidergic pathway (1176) 305
Frederickson, R.M., see Boal, T.R. (1176) 257
Freire, M., see Otero, A. (1176) 59
Friso, S., see Olivieri, O. (1176) 37

Gardner, J.D., see Vinayek, R. (1176) 183
Gey, F.K., see Chatelain, E. (1176) 83
Giles, H., see Okuda-Ashitaka, E. (1176) 148
Girelli, D., see Olivieri, O. (1176) 37
Giudicelli, Y., see Dieudonne, M.-N. (1176) 123
Gómez-Márquez, J., see Otero, A. (1176) 59
Grady, M., Stevens, P.A., Pyne, S. and Pyne, N.
Adenylyl cyclase in lung from hypersensitive guinea pig displays increased responsiveness to guanine nucleotides and isoprenaline: the role of the G proteins G_s and G_i (1176) 313
Gregory, J., see Vinayek, R. (1176) 183
Gumà, A., Viñals, F., Testar, X., Palacín, M. and Zorzano, A.
Regulation of System A amino-acid transport activity by phospholipase C and cAMP-inducing agents in skeletal muscle: modulation of insulin action (1176) 155

Hamasaki, N., see Nishiguchi, E. (1176) 95
Havinga, R., see Waalkes, M.B. (1176) 43
Hayaishi, O., see Okuda-Ashitaka, E. (1176) 148
Hayashi, H., see Iwamuro, S. (1176) 143
Henning-Chubb, C., see Kiguchi, K. (1176) 27
Hiraga, S., see Kaji, T. (1176) 20
Hirano, T., Asai, K., Matsukawa, K., Kato, T., Takeuchi, M., Yonezawa, M., Otsuka, T. and Matsui, N.
Establishment of an enzyme immunoassay system for gliostatin/platelet-derived endothelial cell growth factor (PD-ECGF) (1176) 299
Honma, Y., see Makishima, M. (1176) 245
Howell, S.L., see Band, A.M. (1176) 64
Hozumi, M., see Makishima, M. (1176) 245
Huberman, E., see Kiguchi, K. (1176) 27

Ito, S., see Okuda-Ashitaka, E. (1176) 148
Iwamuro, S., Hayashi, H. and Kikuyama, S.
An additional arginine-vasotocin-related peptide, vasotocinyl-Gly-Lys, in *Xenopus* neurohypophysis (1176) 143

Jansson, C., see Oker-Blom, C. (1176) 269
Jensen, R.T., see Vinayek, R. (1176) 183
Jiménez, B., see Schwandner, W.R.E. (1176) 175
Jones, P.M., see Band, A.M. (1176) 64

Author Index

Åkerman, K., see Oker-Blom, C. (1176) 269
Alexandre, A., see Zoccarato, F. (1176) 208
Anderson, W.B., see Oláh, Z. (1176) 333
Asai, K., see Hirano, T. (1176) 299
Azzi, A., see Chatelain, E. (1176) 83

Balsinde, J., see Fernández, B. (1176) 169
Band, A.M., Jones, P.M. and Howell, S.L.
The mechanism of arachidonic acid-induced insulin secretion from rat islets of Langerhans (1176) 64
Bartoli, G.-M., see Chatelain, E. (1176) 83
Beeler, J.F. and Cooper, R.H.
Rapid and reversible uncoupling of the hepatic α_1-adrenergic receptor and guanine-nucleotide-binding protein by phorbol 12,13-dibutyrate (1176) 339
Behrens, M., see Schwandner, W.R.E. (1176) 175
Benzing, C.F., see Yano, Y. (1176) 327
Bernal, A.L., see Newman, G.E. (1176) 106
Bidet, M., see Cejka, J.-C. (1176) 7
Boal, T.R., Chiorini, J.A., Cohen, R.B., Miyamoto, S., Frederickson, R.M., Sonenberg, N. and Safer, B.
Regulation of eukaryotic translation initiation factor expression during T-cell activation (1176) 257
Bondarenko, V.A., see Lipkin, V.M. (1176) 250
Bonollo, M., see Olivieri, O. (1176) 37
Boscoboinik, D.O., see Chatelain, E. (1176) 83
Brand, K., see Wein, K.-H. (1176) 69
Bronner, C., see Fischer, T. (1176) 305
Buc-Calderon, P.M., see Tinton, S.A. (1176) 1
Bustelo, X.R., see Otero, A. (1176) 59

Cejka, J.-C., Bidet, M., Tauc, M. and Poujeol, P.
Nucleotides mobilize intracellular calcium stores of renal proximal cells in primary culture: existence of a suramin-sensitive mechanism (1176) 7
Chatelain, E., Boscoboinik, D.O., Bartoli, G.-M., Kagan, V.E., Gey, F.K., Packer, L. and Azzi, A.
Inhibition of smooth muscle cell proliferation and protein kinase C activity by tocopherols and tocotrienols (1176) 83
Chiorini, J.A., see Boal, T.R. (1176) 257
Churcher, Y., see Koffer, A. (1176) 222
Cohen, R.B., see Boal, T.R. (1176) 257
Colby, H.D., see Feingold, I.B. (1176) 192
Coninck, S.W.-D., see Zhong, Z.-D. (1176) 77
Cooper, R.H., see Beeler, J.F. (1176) 339
Corrocher, R., see Olivieri, O. (1176) 37
Cotgreave, I.C., see Weis, M. (1176) 13
Cousin, O.C., see Tinton, S.A. (1176) 1

Dausse, J.-P., see Dieudonne, M.-N. (1176) 123
DeLuca, H.F., see Uhland-Smith, A. (1176) 321
Dieudonne, M.-N., Pecquery, R., Dausse, J.-P. and Giudicelli, Y.
Regulation of white adipocyte guanine nucleotide binding proteins Gsα and Giα_{1-2} by testosterone in vivo: influence of regional fat distribution (1176) 123
Dobrynina, L.N., see Lipkin, V.M. (1176) 250

Feingold, I.B., Longhurst, P.A. and Colby, H.D.
Regulation of adrenal and hepatic α-tocopherol content by androgens and estrogens (1176) 192
Fernández, B. and Balsinde, J.
Calcium- and G-protein-dependent activation of arachidonic acid release by concanavalin-A-stimulated mouse macrophages (1176) 169
Fernández-Renart, M., see Schwandner, W.R.E. (1176) 175
Fischer, T., Bronner, C., Landry, Y. and Mousli, M.
The mechanism of inhibition of alkylamines on the mast-cell peptidergic pathway (1176) 305
Frederickson, R.M., see Boal, T.R. (1176) 257
Freire, M., see Otero, A. (1176) 59
Friso, S., see Olivieri, O. (1176) 37

Gardner, J.D., see Vinayek, R. (1176) 183
Gey, F.K., see Chatelain, E. (1176) 83
Giles, H., see Okuda-Ashitaka, E. (1176) 148
Girelli, D., see Olivieri, O. (1176) 37
Giudicelli, Y., see Dieudonne, M.-N. (1176) 123
Gómez-Márquez, J., see Otero, A. (1176) 59
Grady, M., Stevens, P.A., Pyne, S. and Pyne, N.
Adenylyl cyclase in lung from hypersensitive guinea pig displays increased responsiveness to guanine nucleotides and isoprenaline: the role of the G proteins G_s and G_i (1176) 313
Gregory, J., see Vinayek, R. (1176) 183
Gumà, A., Viñals, F., Testar, X., Palacín, M. and Zorzano, A.
Regulation of System A amino-acid transport activity by phospholipase C and cAMP-inducing agents in skeletal muscle: modulation of insulin action (1176) 155

Hamasaki, N., see Nishiguchi, E. (1176) 95
Havinga, R., see Waalkes, M.B. (1176) 43
Hayaishi, O., see Okuda-Ashitaka, E. (1176) 148
Hayashi, H., see Iwamuro, S. (1176) 143
Henning-Chubb, C., see Kiguchi, K. (1176) 27
Hiraga, S., see Kaji, T. (1176) 20
Hirano, T., Asai, K., Matsukawa, K., Kato, T., Takeuchi, M., Yonezawa, M., Otsuka, T. and Matsui, N.
Establishment of an enzyme immunoassay system for gliostatin/platelet-derived endothelial cell growth factor (PD-ECGF) (1176) 299
Honma, Y., see Makishima, M. (1176) 245
Howell, S.L., see Band, A.M. (1176) 64
Hozumi, M., see Makishima, M. (1176) 245
Huberman, E., see Kiguchi, K. (1176) 27

Ito, S., see Okuda-Ashitaka, E. (1176) 148
Iwamuro, S., Hayashi, H. and Kikuyama, S.
An additional arginine-vasotocin-related peptide, vasotocinyl-Gly-Lys, in *Xenopus* neurohypophysis (1176) 143

Jansson, C., see Oker-Blom, C. (1176) 269
Jensen, R.T., see Vinayek, R. (1176) 183
Jiménez, B., see Schwandner, W.R.E. (1176) 175
Jones, P.M., see Band, A.M. (1176) 64

Kagan, V.E., see Chatelain, E. (1176) 83
Kaji, T., Hiraga, S., Yamamoto, C., Sakamoto, M., Nakashima, Y., Sueishi, K. and Koizumi, F.
Tumor necrosis factor alpha-induced alteration of glycosaminoglycans in cultured vascular smooth-muscle cells (1176) 20
Kane, L.H., see Majumdar, S. (1176) 276
Kanemaki, T., see Okumura, T. (1176) 137
Karp, M., see Oker-Blom, C. (1176) 269
Kato, T., see Hirano, T. (1176) 299
Kiguchi, K., Henning-Chubb, C. and Huberman, E.
Glycosphingolipid patterns in human promyelocytic HL-60 leukemia cells susceptible or resistant to differentiation induction by phorbol 12-myristate 13-acetate (1176) 27
Kikuyama, S., see Iwamuro, S. (1176) 143
Kitade, H., see Okumura, T. (1176) 137
Koffer, A. and Churcher, Y.
Calcium and GTP-γ-S as single effectors of secretion from permeabilized rat mast cells: requirements for ATP (1176) 222
Koffer, A.
Calcium-induced secretion from permeabilized rat mast cells: requirements for guanine nucleotides (1176) 231
Koizumi, F., see Kaji, T. (1176) 20
Kono, T., see Yano, Y. (1176) 327
Korchak, H.M., see Majumdar, S. (1176) 276
Kubrina, L.N., Mikoyan, V.D., Mordvintcev, P.I. and Vanin, A.F.
Iron potentiates bacterial lipopolysaccharide-induced nitric oxide formation in animal organs (1176) 240
Kuipers, F., see Waalkes, M.B. (1176) 43
Kung, S.K.P. and Lau, H.K.F.
Modulation of the plasminogen activation system in murine macrophages (1176) 113

Lagarde, M., see Marcoz, P. (1176) 129
Landry, Y., see Fischer, T. (1176) 305
Lau, H.K.F., see Kung, S.K.P. (1176) 113
Lefebvre, V.H., see Tinton, S.A. (1176) 1
Lehel, C., see Oláh, Z. (1176) 333
Levy, R., see Rubinek, T. (1176) 51
Lindqvist, C., see Oker-Blom, C. (1176) 269
Lipkin, V.M., Bondarenko, V.A., Zagranichny, V.E., Dobrynina, L.N., Muradov, K.G. and Natochin, M.Y.
Site-directed mutagenesis of the cGMP phosphodiesterase γ subunit from bovine rod outer segments: role of separate amino acid residues in the interaction with catalytic subunits and transducin α subunit (1176) 250
Longhurst, P.A., see Feingold, I.B. (1176) 192

Majumdar, S., Kane, L.H., Rossi, M.W., Volpp, B.D., Nauseef, W.M. and Korchak, H.M.
Protein kinase C isotypes and signal-transduction in human neutrophils: selective substrate specificity of calcium-dependent β-PKC and novel calcium-independent nPKC (1176) 276
Makishima, M., Honma, Y., Hozumi, M., Nagata, N. and Motoyoshi, K.
Differentiation of human monoblastic leukemia U937 cells induced by inhibitors of myosin light chain kinase and prevention of differentiation by granulocyte-macrophage colony-stimulating factor (1176) 245
Marcoz, P., Némoz, G., Prigent, A.-F. and Lagarde, M.
Phosphatidic acid stimulates the rolipram-sensitive cyclic nucleotide phosphodiesterase from rat thymocytes (1176) 129
Matsui, N., see Hirano, T. (1176) 299
Matsukawa, K., see Hirano, T. (1176) 299
Mazón, M.J., see Schwandner, W.R.E. (1176) 175
Menozzi, D., see Vinayek, R. (1176) 183
Mikoyan, V.D., see Kubrina, L.N. (1176) 240
Miyamoto, S., see Boal, T.R. (1176) 257
Moldéus, P., see Weis, M. (1176) 13
Montgomery, A.M.P., Sabzevari, H. and Reisfeld, R.A.
Production and regulation of gelatinase B by human T-cells (1176) 265
Moore, G.A., see Weis, M. (1176) 13
Moos, J., Peknicova, J. and Tesarik, J.
Relationship between molecular conversions of acrosin and the progression of exocytosis in the calcium ionophore-induced acrosome reaction (1176) 199
Mordvintcev, P.I., see Kubrina, L.N. (1176) 240
Mori, T., see Natsuyama, S. (1176) 90
Motoyoshi, K., see Makishima, M. (1176) 245
Mousli, M., see Fischer, T. (1176) 305
Mrozinski, J.E., see Vinayek, R. (1176) 183
Muradov, K.G., see Lipkin, V.M. (1176) 250

Nagahama, Y., see Natsuyama, S. (1176) 90
Nagata, N., see Makishima, M. (1176) 245
Nakashima, Y., see Kaji, T. (1176) 20
Natochin, M.Y., see Lipkin, V.M. (1176) 250
Natsuyama, S., Noda, Y., Yamashita, M., Nagahama, Y. and Mori, T.
Superoxide dismutase and thioredoxin restore defective $p34^{cdc2}$ kinase activation in mouse two-cell block (1176) 90
Nauseef, W.M., see Majumdar, S. (1176) 276
Némoz, G., see Marcoz, P. (1176) 129
Netzker, R., see Wein, K.-H. (1176) 69
Newman, G.E., Phizackerley, P.J.R. and Bernal, A.L.
Utilization by human amniocytes for prostaglandin synthesis of [1-^{14}C]arachidonate derived from 2-[1-^{14}C]arachidonylphosphatidylcholine associated with human fetal pulmonary surfactant (1176) 106
Nishiguchi, E., Sindo, J. and Hamasaki, N.
Requirement of cytoplasmic components for lidocaine-induced shape change in human erythrocytes (1176) 95
Noda, Y., see Natsuyama, S. (1176) 90
Norbeck, K., see Weis, M. (1176) 13

Oker-Blom, C., Jansson, C., Karp, M., Lindqvist, C., Savola, J.-M., Vlak, J. and Åkerman, K.
Functional analysis of the human α2C-C4 adrenergic receptor in insect cells expressed by a luciferase-based baculovirus vector (1176) 269
Okuda-Ashitaka, E., Sakamoto, K., Giles, H., Ito, S. and Hayaishi, O.
Cyclic-AMP-dependent Ca^{2+} influx elicited by prostaglandin D_2 in freshly isolated nonchromaffin cells from bovine adrenal medulla (1176) 148
Okumura, T., Kanemaki, T. and Kitade, H.
Stimulation of glucose incorporation into glycogen by E-series prostaglandins in cultured rat hepatocytes (1176) 137
Oláh, Z., Lehel, C. and Anderson, W.B.
Differential effects of activation of protein kinase C and cyclic-AMP-dependent protein kinase on sodium-dependent phosphate uptake in NIH 3T3 cells (1176) 333
Olivieri, O., Bonollo, M., Friso, S., Girelli, D., Corrocher, R. and Vettore, L.
Activation of K^+/Cl^- cotransport in human erythrocytes exposed to oxidative agents (1176) 37
Otero, A., Bustelo, X.R., Pichel, J.G., Freire, M. and Gómez-Márquez, J.
Transcript levels of thymosin β_4, an actin-sequestering peptide, in cell proliferation (1176) 59
Otsuka, T., see Hirano, T. (1176) 299

Packer, L., see Chatelain, E. (1176) 83
Palacín, M., see Gumà, A. (1176) 155

Patto, R.J., see Vinayek, R. (1176) 183
Pecquery, R., see Dieudonne, M.-N. (1176) 123
Peknicova, J., see Moos, J. (1176) 199
Pelech, S.L., see Samiei, M. (1176) 287
Phizackerley, P.J.R., see Newman, G.E. (1176) 106
Pichel, J.G., see Otero, A. (1176) 59
Poujeol, P., see Cejka, J.-C. (1176) 7
Prigent, A.-F., see Marcoz, P. (1176) 129
Pyne, N., see Grady, M. (1176) 313
Pyne, S., see Grady, M. (1176) 313

Reisfeld, R.A., see Montgomery, A.M.P. (1176) 265
Robinson, F.W., see Yano, Y. (1176) 327
Rossi, M.W., see Majumdar, S. (1176) 276
Rubinek, T. and Levy, R.
Arachidonic acid increases the activity of the assembled NADPH oxidase in cytoplasmic membranes and endosomes (1176) 51

Sabzevari, H., see Montgomery, A.M.P. (1176) 265
Safer, B., see Boal, T.R. (1176) 257
Sakamoto, K., see Okuda-Ashitaka, E. (1176) 148
Sakamoto, M., see Kaji, T. (1176) 20
Samiei, M., Sanghera, J.S. and Pelech, S.L.
Activation of myelin basic protein and S6 peptide kinases in phorbol ester- and PAF-treated sheep platelets (1176) 287
Sanghera, J.S., see Samiei, M. (1176) 287
Savola, J.-M., see Oker-Blom, C. (1176) 269
Scherphof, G.L., see Waalkes, M.B. (1176) 43
Schwandner, W.R.E., Jiménez, B., Schwartz, A., Weijer, C.J., Behrens, M., Mazón, M.J. and Fernández-Renart, M.
Chemotactic stimulation of aggregation-stage *Dictyostelium* cells induces rapid changes in energy metabolism, as measured by succinic thiokinase phosphorylation (1176) 175
Schwartz, A., see Schwandner, W.R.E. (1176) 175
Siffert, W., see Stamouli, V. (1176) 215
Sindo, J., see Nishiguchi, E. (1176) 95
Sonenberg, N., see Boal, T.R. (1176) 257
Stamouli, V., Vakirtzi-Lemonias, C. and Siffert, W.
Thrombin and NaF, but not epinephrine, raise cytosolic free Na^+ in human platelets (1176) 215
Stevens, P.A., see Grady, M. (1176) 313
Sueishi, K., see Kaji, T. (1176) 20
Sumida, Y., see Yano, Y. (1176) 327

Takeuchi, M., see Hirano, T. (1176) 299
Tauc, M., see Cejka, J.-C. (1176) 7
Tesarik, J., see Moos, J. (1176) 199
Testar, X., see Gumà, A. (1176) 155
Tinton, S.A., Lefebvre, V.H., Cousin, O.C. and Buc-Calderon, P.M.
Cytolytic effects and biochemical changes induced by extracellular ATP to isolated hepatocytes (1176) 1

Uhland-Smith, A. and DeLuca, H.F.
The necessity for calcium for increased renal vitamin D receptor in response to 1,25-dihydroxyvitamin D (1176) 321

Vakirtzi-Lemonias, C., see Stamouli, V. (1176) 215
Valente, M., see Zoccarato, F. (1176) 208
Vanin, A.F., see Kubrina, L.N. (1176) 240
Vettore, L., see Olivieri, O. (1176) 37
Viñals, F., see Gumà, A. (1176) 155
Vinayek, R., Patto, R.J., Menozzi, D., Gregory, J., Mrozinski, J.E., Jensen, R.T. and Gardner, J.D.
Occupation of low-affinity cholecystokinin (CCK) receptors by CCK activates signal transduction and stimulates amylase secretion in pancreatic acinar cells (1176) 183
Vlak, J., see Oker-Blom, C. (1176) 269
Volpp, B.D., see Majumdar, S. (1176) 276

Waalkes, M.B., Kuipers, F., Havinga, R. and Scherphof, G.L.
Conversion of liposomal 5-fluoro-2′-deoxyuridine and its dipalmitoyl derivative to bile acid conjugates of α-fluoro-β-alanine and their excretion into rat bile (1176) 43
Wattiaux, R., see Zhong, Z.-D. (1176) 77
Weijer, C.J., see Schwandner, W.R.E. (1176) 175
Wein, K.-H., Netzker, R. and Brand, K.
Cell cycle-related expression of poly(ADP-ribosyl)transferase in proliferating rat thymocytes (1176) 69
Weis, M., Cotgreave, I.C., Moore, G.A., Norbeck, K. and Moldéus, P.
Accessibility of hepatocyte protein thiols to monobromobimane (1176) 13
Whitehead, A.S., see Zahedi, K. (1176) 162

Yamamoto, C., see Kaji, T. (1176) 20
Yamashita, M., see Natsuyama, S. (1176) 90
Yano, Y., Sumida, Y., Benzing, C.F., Robinson, F.W. and Kono, T.
Primary sites of actions of staurosporine and H-7 in the cascade of insulin action to glucose transport in rat adipocytes (1176) 327
Yonezawa, M., see Hirano, T. (1176) 299

Zagranichny, V.E., see Lipkin, V.M. (1176) 250
Zahedi, K. and Whitehead, A.S.
Regulation of mouse serum amyloid P gene expression by cytokines in vitro (1176) 162
Zhong, Z.-D., Coninck, S.W.-D. and Wattiaux, R.
Uptake of tyramine by rat hepatocytes (1176) 77
Zoccarato, F., Valente, M. and Alexandre, A.
Identification of an NADH plus iron dependent, Ca^{2+} activated hydrogen peroxide production in synaptosomes (1176) 208
Zorzano, A., see Gumà, A. (1176) 155